


Installation Instructions

NOTE: The 2GIG Vario Plastic Accessory Box is only suitable for devices powered by voltages below 60VDC or 42.4VAC..

Installation Holes Map




Technical Specifications

Dimensions: 192 mm x 150 mm x 57 mm

Installation of Accessories (Maximum of 2)


- » 2GIG Vario 8* 70MA Output Expander
- » 2GIG Vario 4* Relay Output Expander

Connection holes: 1, 2, 13, 14 and/or 3, 4, 15, 16



Installation of a Single 16 Zone Expander

Connection holes: 7, 10, 17, 18



Limited Warranty

Limited Warranty

This Nortek Security & Control product is warranted against defects in material and workmanship of two (2) years. This warranty extends only to wholesale customers who buy direct from Nortek Security & Control LLC or through Nortek Security & Control LLC's normal distribution channels. Nortek Security & Control LLC does not warrant this product to consumers. Consumers should inquire from their selling dealer as to the nature of the dealer's warranty, if any.

There are no obligations or liabilities on the part of Nortek Security & Control LLC for consequential damages arising out of or in connection with use or performance of this product or other indirect damages with respect to loss of property, revenue, or profit, or cost of removal, installation, or reinstallation. All implied warranties for functionality, are valid only until the warranty expires. This Nortek Security & Control LLC Warranty all other warranties expressed or implied.

All products returned for warranty service require a Return Authorization Number (RA#). Contact Returns at 1-855-546-3351 for an RA# and other important details.

Inquiries

Direct all inquiries regarding this regulatory compliance statement to:

Nortek Security & Control
1950 Camino Vida Roble, Suite 150
Carlsbad, CA 92008-6517
USA
800-421-1587
5IN2604

THIS PAGE INTENTIONALLY LEFT BLANK