

Nuvo

Player Portfolio

 **legrand®**

A HISTORY OF EXCELLENCE.

1924

Nuvo begins as the Davitt & Hanser Music Company. Later renamed Hanser Holdings International (HHI), Nuvo has become one of the most trusted names in music manufacturing and distribution.



1989

HHI acquires the world-renowned music amplification and engineering company Kustom.

1991

Kustom introduces the first integrated whole home audio system under the name Kustom Home Sound.



2002

HHI launches Nuvo, the new brand name of Kustom Home Sound.

2012

Legrand, North America acquires Nuvo. Today, Nuvo continues to deliver unparalleled innovations in sound.



DESIGNED BY AUDIOPHILES.

Nuvo, the award-winning product line of Legrand, specializes in advanced whole home audio systems and solutions that deliver a truly unparalleled listening experience. With a deep-seated passion for music and an audio lineage reaching back to 1924, Nuvo was born of the Kustom Home Sound brand, the same company that delivered stage amplification for professional musicians ranging from Johnny Cash to Quiet Riot. Today, Nuvo continues to deliver innovative, high-performing products for professional home audio installations.

PLAYER PORTFOLIO.

Designed with the professional installer in mind, the flexible, powerful Player Portfolio system delivers incredible high-fidelity audio to every room of the home. Conveniently available in wired or wireless configurations, the single zone Players and multi-zone rack-mount Players make it easy to build a unified whole home audio experience in up to 16 different zones. Easy to install and even easier to enjoy, the Player Portfolio offers an unparalleled listening experience with endless music options at your fingertips.

EXPLORE A WORLD OF MUSIC.

The Player Portfolio offers true listening freedom with built-in access to endless music options - from networked audio content and iTunes libraries, to an expansive variety of Internet radio and streaming services. Whether it's an old favorite or the newest hit, your home will be filled with the music that moves you.



THE PLAYER ECOSYSTEM.

Simply connect a Nuvo Player to the home network and your favorite speakers. To start listening, use the free Player Portfolio app to quickly connect and set up the system. Easily expand home audio to other rooms by adding Players in other zones.



COMPLETE CONTROL.

Nuvo Player App

Nuvo makes it easy to get right to the music you love with the intuitive Player app. By automatically displaying your favorite music services and artists, it allows fast, simple browsing with a world of music available right at your fingertips. Play different songs in every room, or stay in perfect sync when broadcasting a single song throughout the home.



NUVO PLAYER APP

Manage music library, power, and playlists, as well as Play, Pause, Volume, Mute, Skip Track, and more

Choose music from an unlimited variety of sources


Easy browsing by song, album, genre, and artist

Control music in every zone or group together to play one song throughout the home

Download app for free from iTunes and Google Play

In-Wall Keypads

Enjoy intuitive control where you need it most with the Keypads. With a fixed on-wall location, these devices add a whole new layer of convenience to the Player Portfolio system, providing instant access to music for anyone in the home. Installation is a breeze with a single PoE connection.



P10 KEYPAD

Convenient in-wall control of a single zone

Control Play, Pause, Volume, Mute, and Track Navigation

A single button allows quick access to 5 preset favorites

Connects easily with a single RJ45 802.11 af PoE cable

Available in white, light almond and nickel



P20 KEYPAD

Capacitive touch backlit display provides accessible in-wall control of a single zone

Control Play, Pause, Volume, and Track Navigation

A single button allows quick access to 5 preset favorites

Connects easily with a single RJ45 802.11 af PoE cable

Designed for Livinglight, Arteor and Valena Life wall plates available throughout Europe and adorne wall plates in North America.

PEAK PERFORMANCE. PEAK PROFITABILITY.

P5000 Professional Series Players

Deliver a powerful experience with Nuvo's high-performing, Professional Series Players. Designed exclusively for integrators, the 5000 Series Professional Series Players are purpose-built for custom audio installations. Now compatible with Apple Airplay 2, these players offer built-in access to endless streaming music services.



P5050 PROFESSIONAL SERIES PLAYER

3 zone, with 50-watts per zone at 8 ohms

Seamless integration into advanced automation systems

Side-mounted heat sinks with no fans support the space and energy efficient

1U rack design

P5050 Specifications

Power	25w per channel @ 8 ohms 50w per channel @ 4 ohms
Network	Wired
# of Zones	3
# of Channels	2 per zone
Input	3.5mm analog x 3, USB x 3
Preamp Output	3.5mm analog

P5100 PROFESSIONAL SERIES PLAYER

3 zone, with 100-watts per zone at 8 ohms

Back-lit touch screen supports easy setup with visible system status, zone names, and more

Seamless integration into advanced automation systems

Side-mounted heat sinks with no fans support the space and energy efficient

1U rack design

P5100 Specifications

Power	50w per channel @ 8 ohms 100w per channel @ 4 ohms
Network	Wired
# of Zones	3
# of Channels	2 per zone
Input	Auto-sensing 3.5mm analog or optical x 3 (Tos-link to 3.5mm adapters included), USB x 3
Preamp Output	Auto-sensing 3.5mm analog or optical x 3 (Tos-link to 3.5mm adapters included)





P5200 PROFESSIONAL SERIES PLAYER

3 zone, with 200-watts per zone at 8 ohms

Back-lit touch screen supports easy setup with visible system status, zone names, and more

Seamless integration into advanced automation systems

Side-mounted heat sinks with no fans support the space and energy efficient

2U rack design

P5200 Specifications


Power	100w per channel @ 8 ohms 200w per channel @ 4 ohms
Network	Wired
# of Zones	3
# of Channels	2 per zone
Input	Auto-sensing 3.5mm analog or optical x 3 (Tos-link to 3.5mm adapters included), USB x 3
Preamp Output	Auto-sensing 3.5mm analog or optical x 3 (Tos-link to 3.5mm adapters included)



P5050



P5100



P5200

FLEXIBLE SOLUTIONS.

Wired/Wireless Single-Zone Players

Introduce incredible audio into hard-to-wire spaces with Nuvo wireless single-zone players. Ideal for easily adding zones to an existing Player Portfolio System, single-zone players support both wired Ethernet or Wireless 802.11a/b/g/n configuration options for optimal flexibility.



P100 PLAYER AMPLIFIER

Give any room instant access to endless music options, or stay perfectly in sync when all zones are playing the same song

Provides a total 40 watts of power at 8 ohms to a single zone

P100 Specifications

Power	20w per channel @ 8 ohms
Network	Ethernet or Wireless 802.11a/b/g/n
# of Zones	1
# of Channels	2
Inputs	3.5mm, USB
Output	3.5mm

P200 PLAYER AMPLIFIER

Instant access to endless music options, or stay perfectly in sync when all zones are playing the same song

Connect to any Bluetooth-enabled device to listen instantly

Provides a total 120 watts of power at 8 ohms to a single-zone

P200 Specifications

Power	60w per channel @ 8 ohms stable
Network	Ethernet or Wireless 802.11a/b/g/n
# of Zones	1
# of Channels	2
Inputs	3.5mm, Bluetooth, USB
Output	3.5mm





P300 PLAYER PREAMPLIFIER

Designed for maximum versatility, connect to any external amplifier or receiver to create a fully functioning zone

Offers all the benefits of Player Portfolio including expansive source variety, convenient app control, and stunning hi-fi quality

P300 Specifications


Power	Unpowered
Network	Ethernet or Wireless 802.11a/b/g/n
# of Zones	1
Inputs	Auto-sensing 3.5mm analog or optical (Toslink to 3.5mm adapters included), USB
Output	Auto-sensing 3.5mm analog or optical (Toslink to 3.5mm adapters included)



P100



P200



P300

SIMPLIFIED STREAMING.

DIN Rail Solutions

Nuvo's P600 Player is the world's first streaming music player designed for the international DIN rail mounting standard. It gives any room instant access to endless audio options with built in access to personal music collections, internet radio, or popular streaming services. Compatible with all other products in Nuvo's Player Portfolio, the P600 adds ease of installation and flexibility to expand the system.

P600 DIN RAIL PLAYER

Designed for the international DIN rail mounting standard and compatible with all products in the Player Portfolio

Give any room instant access to endless music options or stay perfectly in sync when all zones are playing the same song

Provides a total of 40 watts of power at 4/6/8 ohms to a single zone

Conveniently controlled with the Nuvo Player app or optional in-wall keypads


P600 Specifications

Power	20w per channel. 4,6, or 8 ohms stable
Network	Ethernet
# of Zones	1
# of Channels	2
Inputs	3.5mm, USB



Outside the US

The P600 has been designed to optimally fit existing DIN rail enclosures. Players can be added easily alongside existing components providing a completely centralized location for the entire home's technology.



Inside the US

Installed in an enclosure with the NV-PDINKIT, the P600's compact size allows for your entire home's music selection to be hidden away. Say goodbye to large A/V racks taking up space.

Inside the US

The Nuvo DIN Rail Installation Kit simplifies the installation of a Nuvo DIN Rail Player system and provides parts for up to a three-zone system.



PDINKIT NUVO DIN RAIL KIT

Provides installation parts for a three zone DIN Rail Player System

Compatible with the On-Q Plastic Enclosure family of products

Easy installation in a low voltage enclosure

Multi-Zone Kits

Everything you need to add 2, 3 or 4 zones in one sku. The P600 multi-zone kits include all the parts needed to install and power the players.

NV-P6002Z-NA



NV-P6003Z-NA



NV-P6004Z-NA



Outside the US

The P601 can power up to four zones with one sku. Designed to also fit the international DIN rail mounting standard, they provide the cleanest installation possible with minimal space usage.



P601 DIN RAIL POWER SUPPLY

Powers up to four P600 players

Designed for international DIN rail mounting for flexible and efficient installation

P601 Specifications

Power	24V / 18w per zone
# of Zones Powered	4

EXCEPTIONAL EXPERIENCE.

Tabletop Speaker

Stream music to any room with this all-in-one stereo speaker and amplifier, or easily expand an existing Player Portfolio system with an additional zone of audio. With a powerful 2.1 system, the P400 fills any room with rich, full-bodied sound, and stays perfectly in sync with other zones playing the same song. Blending premium performance with installation flexibility, the tabletop speaker makes it easier than ever to listen to the music you love - whenever or wherever you might want to listen.



P400 TABLETOP SPEAKER

All-in-one single-zone amplifier and stereo speaker easily expands the Player Portfolio system

Powerful 2.1 system with 5 1/4" subwoofer, two midrange drivers, and two tweeters

Conveniently controlled with the Nuvo Player app and optional in-wall keypads

Capacitive touch controls on the device provide Play, Pause, Volume, Mute, and Track Navigation

Wired or wireless connection allows for flexible installation

P400 Specifications

Network	Ethernet or Wireless 802.11a/b/g/n
# of Zones	1
Input	3.5mm analog
Dimensions	368 W x 217 H x 149 D (mm) 14.5 W x 8.56 H x 5.88 D (in)

DYNAMIC DELIVERY.

Digital Power Amplifiers

Nuvo class-D digital power amplifiers provide standalone power with incredible performance. These rack mount units offer clean, crisp sound with low distortion and minimal signal loss. High-efficiency design achieves ENERGY STAR standard for utilizing less than one watt of power in standby mode. With easy third party integration and a clean 1U installation, providing music the way it should be heard couldn't be easier.

D460 DIGITAL POWER AMPLIFIER

Powerful four channel stereo amplification

4 or 8 ohm selectable rating offers optional configurations

D460 Specifications

Power	4 x 60w (4 or 8 ohm)
# of Channels	4
Ohms	4 or 8 ohm
Input	RCA



D2120 DIGITAL POWER AMPLIFIER

Powerful two channel stereo amplification

4 or 8 ohm selectable rating offers optional configurations

D2120 Specifications

Power	2 x 120w (4 or 8 ohm)
# of Channels	2
Ohms	4 or 8 ohm
Input	RCA

INSTALLER-INSPIRED DESIGN.

Professional Solutions

Dedicated to engineering innovative multi-room audio solutions, every product and system feature in the Nuvo Player Portfolio line is designed with meticulous detail to support the needs of professional integrators. From flexible wired or wireless configurations and simple set-up, to seamless third-party integration and effortless control, Player Portfolio is the all-in-one solution for dynamic whole home audio.

Seamless Integration

With pre-written drivers, it's easy to integrate the exceptional audio of Nuvo into advanced control systems from Vantage, Control4, Elan, Crestron, KNX, and more. **View the full list of integration partners: legrand.us/nuvo-integration**

Control4

ELAN

RTI

KNX

VANTAGE

CRESTRON

URC





NUVO.

Professional Rack-Mount Solutions

Nuvo's professional rack-mount Players provide a cleaner installation with a more efficient use of space in the AV rack.

Flexible System Design

The Player Portfolio offers a comprehensive line of scalable home audio products available in wired or wireless configurations. Flexible options including the tabletop speaker make it simple to specify the right solution for any project.

Remote Monitoring and Device Management

Domotz PRO network management software simplifies installations and allows remote monitoring, tech support, and troubleshooting of Nuvo devices from anywhere – saving installers time, adding value, and improving efficiency.

A Spare-No-Expense Attitude on Audio Quality

Offering a reproduction quality that is true to every artist and song, Player Portfolio supports true 24 bit/192 kHz high-resolution streaming audio – the way sound was meant to be heard.




	Single Zone Players			All-In-One Speaker/ Player	Multi-Zone Players			DIN rail Player
								
Model	P100	P200	P300	P400	P5050	P5100	P5200	P600
Size Dimension H x W x D	42 x 187 x 115 (mm)	42 x 229 x 127 (mm)	38 x 145.5 x 90.5 (mm)	216 x 375 x 152 (mm)	44 x 430 x 250 (mm)	44 x 430 x 258 (mm)	88 x 430 x 258 (mm)	53.4 x 90 x 67.2 (mm)
	1.65 x 7.36 x 4.5 (in)	1.65 x 9 x 5 (in)	1.5 x 5.7 x 3.56 (in)	8.5 x 14.76 x 5.98 (in)	1.73 x 16.9 x 9.8 (in)	1.73 x 16.9 x 10.1 (in)	3.46 x 16.9 x 10.1 (in)	2.1 x 3.54 x 2.65 (in)
Power (watts)	40w (8ohm, 20w x 2)	120w (4ohm, 60w x 2)	preamplifier	closed system	3 zones x 50w (8ohm, 25w x 2 per zone)	3 zones x 100w (8ohm, 50w x 2 per zone)	3 zones x 200w (8ohm, 100w x 2 per zone)	40w (4, 6, or 8ohm, 20w x 2)
Generation D Energy- Efficient Amplifier	■	■	-	■	■	■	■	■
Domotz Ready	■	■	■	■	■	■	■	■
Apple / Android Control App	■	■	■	■	■	■	■	■
Wi-Fi	■	■	■	■	-	-	-	-
Ethernet Connection	■	■	■	■	■	■	■	■
Analog Line In	■	■	■	■	■	■	■	■
Analog Line Out	■	■	■	-	■	■	■	-
Optical In	-	-	■	-	-	■	■	-
Optical Out	-	-	■	-	-	■	■	-
USB Port	■	■	■	■	■	■	■	■
Bluetooth	-	■	-	-	-	-	-	-
Four Ohm Stable	-	-	-	-	■	■	■	■
Trigger Out	-	-	-	-	-	■	■	-

UNPRECEDENTED PERFORMANCE.

Nuvo Speakers

Be heard and not seen with Nuvo's line of professionally-installed, built-in speakers. Designed with the same level of quality as our high-performing audio systems, Nuvo speakers' impeccable sound quality satisfies even the most discriminating audiophile. Even better, Nuvo speakers are specially designed to fit every space, project, and price point.




SERIES TWO

BALANCED



Series Two woofers are constructed with high-grade polymer for deep bass.




Series Two tweeters are made from silk for smoother highs.

SERIES FOUR

ENHANCED




Series Four woofers are constructed with glass fiber for minimal distortion.



Series Four tweeters are made from aluminum for brighter sound.

SERIES SIX

PREMIUM



Series Six woofers are constructed of Kevlar® and carbon fiber to handle the heaviest loads.



Series Six tweeters are made from titanium for ultimate performance.

BALANCED

SERIES TWO SPEAKERS

Designed to deliver balanced, moderate sound

Polypropylene woofers are constructed with high-grade polymer for a rich, deep bass

Pivoting dome tweeters are made from silk for smooth smart highs

Power Handling: 100w peak/ 50w RMS with 8 ohms

Series Two Specifications

Power Handling	100w peak / 50w RMS
Efficiency	86dB
Resistance	8 ohm
Tweeter Construction	silk
Woofer Construction	poly



Butyl Rubber Surround

Recessed
Mounting Screws

Pivoting Silk
Dome Tweeter

Poly Woofer

Neodymium Magnets
to Hold Grill



NV-2IC6
Series Two 6.5" In-Ceiling Speaker



NV-2IC6-ANG
Series Two 6.5" In-Ceiling Angled Speaker



NV-2IC6-DVC
Series Two 6.5" In-Ceiling Dual Voice Coil Speaker



NV-2IC8
Series Two 8" In-Ceiling Speaker



NV-2IC8-ANG
Series Two 8" In-Ceiling Angled Speaker



NV-2IW6
Series Two 6.5" In-Wall Speaker



NV-2IW5-LCR
Series Two 5.25" In-Wall LCR Speaker



NV-20D5-BK & NV-20D5-WH
Series Two 5.25" Outdoor Speaker (Available in Black and White)

NV-20D6-BK & NV-20D6-WH
Series Two 6.5" Outdoor Speaker (Available in Black and White)

ENHANCED

SERIES FOUR SPEAKERS

Remarkable striking clarity

Woofers are designed with glass fiber for minimal distortion

Pivoting dome tweeters are made from aluminum for a brighter, clearer sound

Power Handling: 150w peak/ 75w RMS with 8 ohms



Series Four Specifications

Power Handling	150w peak / 75w RMS
Efficiency	88dB
Resistance	8 ohm
Tweeter Construction	aluminum, pivoting
Woofer Construction	glass fiber

Butyl Rubber Surround

Recessed
Mounting Screws

Aluminum
Dome Tweeter

Glass Fiber Woofer

Acoustically Minimized
Tweeter Bridge

Neodymium Magnets
to Hold Grill



NV-4IC6
Series Four 6.5" In-Ceiling Speaker



NV-4IC6-ANG
Series Four 6.5" In-Ceiling Angled Speaker



NV-4IC6-DVC
Series Four 6.5" In-Ceiling Dual Voice Coil Speaker



NV-4IC8
Series Four 8" In-Ceiling Speaker



NV-4IC8-ANG
Series Four 8" In-Ceiling Angled Speaker



NV-4IW6
Series Four 6.5" In-Wall Speaker



NV-4IW5-LCR
Series Four 5.25" In-Wall LCR Speaker

PREMIUM

SERIES SIX SPEAKERS

The highest power handling and most extreme performance for home theater and vast spaces

Woofers are constructed of Kevlar and carbon fiber, for strength to carry to heaviest loads

Pivoting dome tweeters are made from titanium for ultimate performance, delivering smooth, lifelike vocals and crystal-clear highs

Outfitted with tweeter level adjustment for advanced audio customization

Power Handling: 200w peak/ 100w RMS with 8 ohms



Series Six Specifications

Power Handling	200w peak / 100w RMS
Efficiency	89dB
Resistance	8 ohm
Tweeter Construction	titanium
Woofer Construction	carbon fiber and Kevlar®

Butyl Rubber Surround

Recessed
Mounting Screws

Pivoting Titanium
Dome Tweeter

Carbon Fiber
and Kevlar® Woofer

Acoustically Minimized
Tweeter Bridge

Neodymium Magnets
to Hold Grill



NV-6IC6
Series Six 6.5" In-Ceiling Speaker



NV-6IC6-ANG
Series Six 6.5" In-Ceiling Angled Speaker



NV-6IC8
Series Six 8" In-Ceiling Speaker



NV-6IC8-ANG
Series Six 8" In-Ceiling Angled Speaker



NV-6IW6
Series Six 6.5" In-Wall Speaker



NV-6IW6-LCR
Series Four 6.5" In-Wall LCR Speaker



NV-60D5-BK & NV-60D5-WH
Series Six 5.25" Outdoor Speaker (Available in Black and White)

NV-60D6-BK & NV-60D6-WH
Series Six 6.5" Outdoor Speaker (Available in Black and White)

NV-60D5-DVC-BK & NV-60D5-DVC-WH
Series Six 5.25" Outdoor Dual Voice Coil Speaker
(Available in Black and White)

NV-60D6-DVC-BK & NV-60D6-DVC-WH
Series Six 6" Outdoor Dual Voice Coil Speaker
(Available in Black and White)

ARCHITECTURAL SUBWOOFERS AND AMPS



NV-SUBIC8

Discrete ceiling-mounted passive 8" subwoofer ideal for small to medium sized audio installations

Installation-friendly infinite baffle design

Pair up with optional NV-SUBAMP100-xx amplifier

Round magnetic grill included. Optional square magnetic grill (NV-RGIC8-SQR).

Up to two subwoofers may be used with optional NV-SUBAMP100-xx amplifier

Lifetime warranty

Space-saving design

NV-SUBAMP100

Powerful compact all digital subwoofer amplifier ideal for small to medium sized audio installations

Installation-friendly wall-mountable design

Unfiltered LFE (low frequency effects), RCA and speaker level inputs

EQ settings for use with any Nuvo passive in-ceiling or in-wall subwoofers

Signal-sensing power ON/OFF

Variable crossover and phase adjustment

Two year warranty

Efficient all-digital 100 watt amplifier

Convenient power connection for optional wireless receiver





NV-SUBIW8

Discrete wall-mounted passive single 8" subwoofer ideal for medium sized audio installations

Installation-friendly sealed cabinet design

Pair up with optional NV-SUBAMP200-xx amplifier

Square magnetic grill included

Up to two single subwoofers may be used with optional NV-SUBAMP200-xx amplifier

Lifetime warranty

Space-saving design

NV-SUBAMP200

Powerful all digital subwoofer amplifier ideal for medium sized audio installations

Installation-friendly rack-mountable design

Unfiltered LFE (low frequency effects) and RCA line level inputs

EQ settings for use with any Nuvo passive in-ceiling or in-wall subwoofers

Signal-sensing power ON/OFF

Variable crossover and phase adjustment

Two year warranty

Efficient all-digital 200 watt amplifier



ARCHITECTURAL SUBWOOFERS AND AMPS

NV-SUBIWDUAL8

Discrete wall-mounted passive dual 8" subwoofer ideal for medium and larger sized audio installations

Installation-friendly sealed cabinet design

Pair up with optional NV-SUBAMP500-xx amplifier

Rectangular magnetic grill included

Up to two dual subwoofers may be used with optional NV-SUBAMP500-xx amplifier

Lifetime warranty

Space-saving design



NV-SUBAMP500

Powerful all digital subwoofer amplifier with DSP ideal for larger sized audio installations

Installation-friendly rack-mountable design

Unfiltered LFE (low frequency effects) and RCA line level inputs

EQ settings for use with any Nuvo passive in-ceiling or in-wall subwoofers

IR input for simple use with control systems

Menu selectable variable crossover, power mode and phase adjustment

Two year warranty

Efficient all-digital 500 watt amplifier



POWERED SUBWOOFERS

NV-SUB8

Powerful front-mounted 8" subwoofer ideal for small-medium sized audio installations

Installation-friendly front-firing woofer and single port

Compact design requires just over a square foot of space

Durable MDF enclosure construction ensures distortion-free bass response

Unfiltered LFE (low frequency effects) input, RCA stereo input and output, and USB port

Signal-sensing power ON/OFF

Variable crossover and phase adjustment

Woofer has lifetime warranty and amplifier has two year warranty

Efficient all-digital 100 watt amplifier

NV-SUB10

Powerful front-mounted 10" subwoofer ideal for mid-sized audio installations

Installation-friendly front-firing woofer and dual ports

Efficient all-digital 200 watt amplifier

Durable MDF enclosure construction ensures distortion-free bass response

Unfiltered LFE (low frequency effects) input, RCA stereo input and output, and USB port

Signal-sensing power ON/OFF

Variable crossover and phase adjustment

Woofer has lifetime warranty and amplifier has two year warranty

NV-SUB12GB

Powerful front-mounted 12" subwoofer ideal for custom audio installations

Efficient all-digital 300 watt amplifier

Durable MDF enclosure construction ensures distortion-free bass response

Unfiltered LFE (low frequency effects) input, RCA stereo input and output, and USB port

Signal-sensing power ON/OFF

Variable crossover and phase adjustment

Woofer has lifetime warranty and amplifier has two year warranty



IMMERSIVE OUTDOOR AUDIO.

Landscape Speakers

Deliver dynamic sound quality through any outdoor environment with the durable and scalable Series Two Landscape Speakers. The low-profile, black teardrop satellite speakers have 3.5" poly woofers and .5" UFLC tweeters for clear, robust audio and even coverage. The powerful 8" buried subwoofer blends subtly into the landscape while providing a stand-out bass response. Designed for years of performance, the Landscape Speakers are rated for outdoor use and durability in extreme weather conditions.

LANDSCAPE SPEAKERS

Complete 5-piece system comes with 4 two-way satellite speakers and an 8" in-ground subwoofer

IP-67 and MIL-STD-810 compliant

8 ohm system pairs perfectly with Player Portfolio products or any 8 ohm amplifier

Highly scalable with option to add-on additional satellite speakers

Lifetime Warranty

Landscape Series Two Specifications

Power Handling	280w
Efficiency	86dB
Resistance	8 ohm
Tweeter Construction	UFLC
Woofer Construction	poly



Outdoor Speakers

Elevate exterior living spaces with Series Two and Series Six Outdoor Speakers. The sleek enclosure boasts a modern form and minimal size that tastefully blend with the lines of any home. They deliver a clean, powerful sound and are rated for outdoor use. Designed for easy installation, the speaker safely rests on the bracket with mounting knobs loosely installed to allow flexibility while wiring the removable phoenix connector. After the terminal has been secured, simply adjust the angle, tighten knobs, install covers, and mounting is complete.

OUTDOOR SPEAKERS

Delivers clear, powerful sound to exterior spaces

IP65 and MIL-STD-810 rated

Designed for safe and easy installation

8 ohm rated

Available in black and white

Lifetime Warranty

Outdoor Series Two Specifications

Power Handling	100w peak / 50w RMS
Efficiency	87dB
Resistance	8 ohm
Tweeter Construction	UFLC
Woofer Construction	poly

Outdoor Series Six Specifications

Power Handling	120w peak / 60w RMS
Efficiency	88dB
Resistance	8 ohm
Tweeter Construction	titanium
Woofer Construction	carbon fiber and Kevlar®



ARCHITECTURAL SPEAKERS

SERIES TWO

Impedance
8 Ohms

Sensitivity
86dB

Power
50w RMS / 100w Peak

Woofer Material
Poly

Tweeter Material
Silk



NV-2IC6



NV-2IC6-ANG



NV-2IC6-DVC



NV-2IC8



NV-2IC8-ANG

Overall Dimensions	9.06" / 230mm	9.06" / 230mm	9.06" / 230mm	10.63" / 270mm	11.22" / 285mm
Cutout Dimensions	8.07" / 205mm	8.07" / 205mm	8.07" / 205mm	9.68" / 246mm	10.15" / 258mm
Woofer Size	6.5"	6.5"	6.5"	8"	8"
Tweeter Size	0.5"	0.5"	0.5"	0.5"	0.5"
Mounting Depth	3.9" / 99mm	4.57" / 116mm	3.9" / 99mm	4.37" / 111mm	5.31" / 135mm
Frequency Response	60Hz - 20KHz	60Hz - 20KHz	55Hz - 20KHz	45Hz - 20KHz	45Hz - 20KHz
Shipping	Pair	Single	Single	Pair	Single

SERIES FOUR

Impedance
8 Ohms

Sensitivity
88dB

Power
75w RMS / 150w Peak

Woofer Material
Glass Fiber

Tweeter Material
Aluminum



NV-4IC6



NV-4IC6-ANG



NV-4IC6-DVC



NV-4IC8



NV-4IC8-ANG

Overall Dimensions	9.06" / 230mm	9.06" / 230mm	9.06" / 230mm	10.63" / 270mm	11.22" / 285mm
Cutout Dimensions	8.07" / 205mm	8.07" / 205mm	8.07" / 205mm	9.68" / 246mm	10.15" / 258mm
Woofer Size	6.5"	6.5"	6.5"	8"	8"
Tweeter Size	0.75"	0.75"	0.75"	0.75"	0.75"
Mounting Depth	3.94" / 100mm	4.76" / 121mm	3.94" / 100mm	4.41" / 112mm	5.55" / 141mm
Frequency Response	55Hz - 20KHz	55Hz - 20KHz	50Hz - 20KHz	40Hz - 20KHz	40Hz - 20KHz
Shipping	Pair	Single	Single	Pair	Single

SERIES SIX

Impedance
8 Ohms

Sensitivity
89dB

Power
100w RMS / 200w Peak

Woofer Material
Kevlar® / Carbon
Fiber Weave

Tweeter Material
Titanium



NV-6IC6



NV-6IC6-ANG



NV-6IC8



NV-6IC8-ANG

Overall Dimensions	9.06" / 230mm	9.06" / 230mm	10.63" / 270mm	11.22" / 285mm
Cutout Dimensions	8.07" / 205mm	8.07" / 205mm	9.68" / 246mm	10.15" / 258mm
Woofer Size	6.5"	6.5"	8"	8"
Tweeter Size	1"	1"	1"	1"
Mounting Depth	3.94" / 100mm	4.76" / 121mm	4.41" / 112mm	5.55" / 141mm
Frequency Response	60Hz - 20KHz	60Hz - 20KHz	35Hz - 20KHz	35Hz - 20KHz
Shipping	Pair	Single	Pair	Single



NV-2IW6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

0.5"

3.27" / 83mm

60Hz - 20KHz

Pair



NV-2IW5-LCR

7.48" x 15.35" / 190mm x 390mm

6.41" x 14.3" / 163mm x 363mm

5.25"

0.5"

3.35" / 85mm

65Hz - 20KHz

Single



NV-4IW6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

0.75"

3.27" / 83mm

55Hz - 20KHz

Pair



NV-4IW5-LCR

7.48" x 15.35" / 190mm x 390mm

6.41" x 14.3" / 163mm x 363mm

5.25"

0.5"

3.35" / 85mm

60Hz - 20KHz

Single



NV-6IW6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

1"

3.27" / 83mm

50Hz - 20KHz

Pair



NV-6IW6-LCR

8.66" x 17.71" / 220mm / 450mm

7.6" x 16.65" / 193mm x 423mm

6.5"

1"

3.5" / 90mm

45Hz - 20KHz

Single

OUTDOOR SPEAKERS

SERIES TWO

Impedance

8 Ohms

Sensitivity

87dB

Power

50w RMS / 100w Peak

Woofer Material

Poly

Tweeter Material

UFLC



NV-2OD5-XX



NV-2OD6-XX

COLOR KEY:

WH

BK

Replace XX with the appropriate color code for part number.

SERIES SIX

Impedance

8 Ohms

Sensitivity

88dB

Power

60w RMS / 120w Peak

Woofer Material

Kevlar® / Carbon


Fiber Weave

Tweeter Material

Titanium



NV-6OD5-XX



NV-6OD6-XX



NV-6OD5=DVC-XX



NV-6OD6=DVC-XX

COLOR KEY:

WH

BK

Replace XX with the appropriate color code for part number.

SERIES TWO LANDSCAPE

Impedance

8 Ohms

Sensitivity

86dB

Power

280w

Woofer Material

Poly

Tweeter Material

UFLC



NV-2LSK-BK
Subwoofer
+ 4 Satellites
NV-2LS3-SAT2
Two Satellites

SUBWOOFERS

NV-SUB8

Impedance
8 Ohms

Frequency
30Hz - 200Hz

Power
100w

Woofer Material
Poly



NV-SUB10

Impedance
8 Ohms

Frequency
27Hz - 200Hz

Power
200w

Woofer Material
Poly



NV-SUB12GB

Impedance
8 Ohms

Frequency
23Hz - 200Hz

Power
300w

Woofer Material
Kevlar® / Carbon
Fiber Weave



NV-SUBTXRX

Easily add a Nuvo powered subwoofer to almost any system wirelessly

Receiver is conveniently powered via USB when used with Nuvo powered subwoofers

Automatic frequency-hopping if interference is detected

Connect up to four wireless subwoofers to one transmitter with the addition of NV-SUBRX-xx receivers

Wireless connection allows freedom of placement choice for the best sound

Two year warranty

Latency of less than 20 milliseconds





NV-SUBIC8

In-Ceiling Passive 8" Subwoofer

Overall Subwoofer Dimensions	10.7" / 272.4mm
Cutout Dimensions	9.62" / 245mm
Speaker Size	8" High Output
Mounting Depth	4.3" / 108mm
Frequency Response	35Hz - 200Hz



NV-SUBIW8

In-Wall Single Passive 8" Subwoofer

Overall Subwoofer Dimensions	13.7 x 13.7" / 347.6 x 347.6mm
Cutout Dimensions	12 x 12" / 310 x 310mm
Speaker Size	8" High Output
Mounting Depth	4.2" / 106.8mm
Frequency Response	35Hz - 200Hz



NV-SUBIWDUAL8

In-Wall Dual Passive 8" Subwoofer

Overall Subwoofer Dimensions	13.7 x 21.6" / 347.6 x 547.6mm
Cutout Dimensions	12 x 19.75" / 310 x 510mm
Speaker Size	dual 8" High Output
Mounting Depth	4.2" / 106.8mm
Frequency Response	29Hz - 200Hz



NV-SUBAMP100

100 Watt Digital Wall-Mount Subwoofer Amplifier

Unit Size	8.0 x 7.4 x 2.0" / 207.3 x 188.8 x 50.5mm
Mounting	Standalone or Wall Mount
Line Input	RCA Analog (L/R)
Output Power	100w @ 4 Ohm / 50w @ 8 Ohm
Frequency	20Hz - 200Hz



NV-SUBAMP200

200 Watt Rack-Mount Subwoofer Amplifier

Unit Size	19 x 8.9 x 1.7" / 482.6 x 226.8 x 43.2mm
Mounting	Standalone or 1U Rack Mount
Line Input	RCA Analog (L/R)
Output Power	200w @ 4 Ohm / 100w @ 8 Ohm
Frequency	20Hz - 200Hz



NV-SUBAMP500

500 Watt Rack-Mount Subwoofer Amplifier with DSP

Unit Size	19 x 8.9 x 1.7" / 482.6 x 226.8 x 43.2mm
Mounting	Standalone or 1U Rack Mount
Line Input	RCA Analog (L/R)
Output Power	500w @ 4 Ohm / 250w @ 8 Ohm
Frequency	20Hz - 200Hz



301 Fulling Mill Road
Suite 700
Middletown, PA 17057
United States
844.334.8044
www.legrand.us/nuvo