

INSTALLATION GUIDE


VidaMount Fixed VESA Wall Mount

VB_VESA_MNT_FXW

Ideal for VidaMount VESA Tablet Enclosures

Max Load Capacity: 30 lbs (13.6 kg)

VESA 75x75 / 100x100 compatible





Installation Instructions

VidaMount Fixed VESA Wall Mount Locking option & VESA Compatible



Important Note:

- This bracket supports up to a maximum loading capacity of 30 lbs [13.6 kg]
Do not overload
- VESA: 75x75 (3"x3") 100x100 (4"x4") compatible.

Component Checklist:




PARTS LIST



Ⓐ Mounting the Wall Plate

IMPORTANT: Drill (4) Ø9/32
holes for the (4)
drywall anchors.


NOTE: For best results, use a
level to ensure the
wall plate is horizontal.



Ⓑ Install the VESA plate onto the Tablet Enclosure


NOTE: Ensure the VESA plate is
securely mounted as shown.

VESA: 75x75 / 100x100




© Put the VESA Plate onto the Wall Plate

- With the VESA Plate securely mounted, hang the entire assembly onto the Wall Plate, as shown.
- Make sure the (2) locking tabs on the bottom plus the (1) screw hole on top of the VESA plate all line up with the Wall Plate, as shown.
- Be careful and take your time to install this properly - other, damage may occur.



④ Secure the Wall Plate and VESA Plate



- After the VESA plate is installed and hanging on the wall plate, use the included M4X12 Phillips pan head screws to secure these two parts.